

**IN THE CLAIM**

Please cancel Claims 1 to 15, without prejudice or disclaimer of the subject matter thereof, and add new claim 16. The added new claim 16 is the combination of original claims 1 to 15 and some added parts illustrated in the drawings. These parts will be pointed out in the following Remark.

**LIST OF CLAIMS:**

Claims 1 to 15 (Cancelled)

Claim 16. (New) A cleaning device comprising:

a cleaning cloth including a base fabric layer, a cover fabric layer disposed above said fabric layer and a plurality of fibers disposed between and secured between said base and said cover fabric layer, and

a handle attached to said cleaning cloth to carry and operate said cleaning cloth;

said base fabric layer includes at least one side having a plurality of strips formed therein to partially expose said fibers;

wherein said cover fabric layer includes at least one side having a plurality of strips formed therein to partially expose said fibers;

wherein an outer fabric layer attached onto said cover fabric layer, and secured said cover fabric layer to form at least one pocket and to receive said handle;

wherein said cleaning cloth includes two welding portions provided on said outer and said cover fabric layers, to secure said outer and said cover

fabric layer together, and to form said at least one pocket in said cleaning cloth;

wherein said cleaning cloth includes two second welding portions provided on said outer and said cover fabric layers, and arranged between said welding portions to separate said at least one pocket into two pockets;

wherein said cleaning cloth includes at least one fiber coupled between said two cleaning pockets, to breakably couple said two pocket together;

wherein said cleaning cloth includes one end having a welding portion provided thereon, to form a closed end for said at least one pocket;

wherein said cover fabric layer includes a length greater than that of said outer fabric layer to facilitate an engagement of said handle into said at least one pocket of said cleaning cloth;

wherein said handle includes a fork having two arms engagable into said at least one pocket of said cleaning cloth;

wherein said cleaning cloth includes a cut portion partially formed between said second welding portions to allow said two pockets to be partially separated from each other; and the two pockets are separated at one end and are closed at another end; the pockets are opened at the ends near the separation of the two pockets and the at another end of each pocket is closed; and the two arms are inserted into the two pockets from the end that the two pockets are separated;

wherein said handle includes at least one projection extended from a lower side of each of said arms, for frictionally engaging with said cleaning cloth;

wherein said handle includes a handle grip pivotally attached to said

fork, to allow said hand grip to be rotated relative to said fork between an outwardly extending position and an inwardly folding position;

wherein said cleaning means further comprises means for retaining said hand grip to said fork at said outwardly extending position;

wherein said retaining means includes at least one notch formed in said hand grip, and at least one catch extended from said fork and engagable into said at least one notch of said hand grip.